



Wool
surface + GLUE
CARVING





A BLEND OF THERMAL RESISTANCE WITH INTRICATE DETAILS CREATES A WARM REPOSITORY OF CRAFTS

Make your space a reflection of passion and pursuits with creativity that bolsters beyond the ordinary means of art. With this collection, we bring a source of inspiration to your space that is featured with a wide range of features that ensure safety and precision along with a promise to deliver style and grace. It is through these pieces that we add an element of modernity to your space while focusing on functionality and utility.



Their versatile size ensures a smooth, continuous flow across floors and walls, enhancing the aesthetic appeal of your interior while offering ease of maintenance. Their versatile size ensures a smooth, continuous flow across floors and walls, enhancing the aesthetic appeal of your interior while offering ease of maintenance. These tiles are perfect for those who seek both beauty and practicality in their design.



600x1200mm
2'x4' | 60x120cm





8.5 mm Thickness

STRENGTH THAT PROMISES A PACT OF SAFETY ALONG WITH STYLE

TECHNICAL FEATURES



Easy To Clean




Fire Resistance



Chemical Resistance



Wear Resistance



Easy To Clean



Scratch Resistance



High Durable



Frost Resistance

Add a touch of practicality and functionality to your space with our tiles, which are suitable for any environment through vivid and distinctive features that make your space a true reflection of style and durability.

VERSATILE APPLICATION



Living Room



Bed Room



Bath Room




Kitchen Area




Dining Area




Restaurent




CALACATA ORO




ENTERNAL MULTY




VENATO CARRARA



PISA GOLD



MONSTER RED



LEGNOSO




LASA BIANCO



IMPERIAL ONYX PISTA



IMPERIAL ONYX HONEY



IMPERIAL ONYX TEAL



CASTEL BROWN



CASTEL GREY




CASTEL OCEAN



REVOR BROWN




ALEXA GREY




PAONAZZO WHITE



HENZ MULTY



FOLIAGE WHITE BASE



FOLIAGE WHITE



FOLIAGE BLACK




FOLIAGE PATTERN




REVOR NATURAL




REVOR GREY



ROYAL ARMANI BEIGE




ROYAL ARMANI BROWN



ROYAL ARMANI SILVER



ROYAL ARMANI GREY



TRAVERTINO CREMA



EMERALD ICE




PHANTOM




FLEXSTONE




DOVER CREMA



DOVER GREY



GLUE RED



GLUE PISTA



TRAVERTINO NATURAL



TRAVERTINO BEIGE



TRAVERTINO RED




Preview of Calacata Oro

Wool + Glue Carving Surface

CALACATA ORO



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles







Preview of Enternal Multy

Wool + Glue Carving Surface

INTERNAL MULTY



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles





Preview of Venato Carrara

Wool + Glue Carving Surface

VENATO CARRARA



5 Faces



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles






Preview of Pisa Gold

Wool + Glue Carving Surface

PISA GOLD



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles





Preview of Monster Red



Wool + Glue Carving Surface

MONSTER RED



5 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles






Preview of Legnoso

Wool + Glue Carving Surface

LEGNOSO



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles





Preview of Lasa Bianco

Wool + Glue Carving Surface

LASA BIANCO



5 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles






Preview of Alexa Grey

Wool + Glue Carving Surface

ALEXA GREY



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles






Preview of Paonazzo White

Wool + Glue Carving Surface

PAONAZZO WHITE



5 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles





Preview of Henz Multy

Wool + Glue Carving Surface

HENZ MULTY



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm


Glazed Vitrified Tiles




Preview of Foliage White

Wool + Glue Carving Surface

FOLIAGE WHITE BASE



FOLIAGE WHITE



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles






Preview of Foliage Black

Wool + Glue Carving Surface

FOLIAGE BLACK



FOLIAGE PATTERN




Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles







Preview of Emerald Ice

Wool + Glue Carving Surface

EMERALD ICE



4 Faces



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles







Preview of Phantom

Wool + Glue Carving Surface

PHANTOM



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles





Preview of Flexstone

Wool + Glue Carving Surface

FLEXSTONE



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles





Preview of Dover Crema

Wool + Glue Carving Surface

DOVER CREMA



5 Faces



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles

DOVER GREY



5 Faces



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles



Preview of Glue Pista

Wool + Glue Carving Surface

GLUE RED



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles

GLUE PISTA



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles



Preview of Imperial Onyx Pista

Wool + Glue Carving Surface

IMPERIAL ONYX PISTA



6 Faces



Design Information


Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles



IMPERIAL ONYX HONEY



6 Faces




Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles

IMPERIAL ONYX TEAL



6 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles



Preview of Castel Brown

Wool + Glue Carving Surface

CASTEL BROWN



5 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles



CASTEL GREY



5 Faces




Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles

CASTEL OCEAN



5 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles



Preview of Revor Brown

Wool + Glue Carving Surface

REVOR BROWN



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles



REVOR NATURAL



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles

REVOR GREY



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles



Preview of Royal Armani Beige & Brown

Wool + Glue Carving Surface

ROYAL ARMANI BEIGE



4 Faces



Design Information


Size : 600x1200mm

Surface : Wool + Glue Carving


Thickness : 8.5mm

Glazed Vitrified Tiles

ROYAL ARMANI BROWN



4 Faces



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles



Preview of Royal Armani Silver & Grey

Wool + Glue Carving Surface

ROYAL ARMANI SILVER




4 Faces




Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles

ROYAL ARMANI GREY



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles




Preview of Travertino Crema & Natural

Wool + Glue Carving Surface

TRAVERTINO CREMA



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles

TRAVERTINO NATURAL



4 Faces



Design Information

Size : 600x1200mm
Surface : Wool + Glue Carving
Thickness : 8.5mm
Glazed Vitrified Tiles

TRAVERTINO BEIGE



4 Faces



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving


Thickness : 8.5mm

Glazed Vitrified Tiles

TRAVERTINO RED



4 Faces



Design Information

Size : 600x1200mm

Surface : Wool + Glue Carving

Thickness : 8.5mm

Glazed Vitrified Tiles

TECHNICAL DETAILS

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.B1a	STANDARD AS PER IS 15622:2017 Gr.B1a	METHOD OF TESTING	MEAN VALUE OF OUR
Regulatory Properties				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	ISO 10545-2/IS 13630-1	± 0.10 %
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	ISO 10545-2/IS 13630-1	± 5.0 %
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	ISO 10545-2/IS 13630-1	± 0.10 %
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	ISO 10545-2/IS 13630-1	± 0.10 %
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.20 %
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.20 %
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.10 %
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1	>95% defects free
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ISO 10545-16	ΔE <0.80
Glossiness (Satin/Posh)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	15 ≤ Gloss Value ≤ 25
Glossiness (Matt/CRV)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	7 ≤ Gloss Value ≤18
Glossiness ® Value##	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	≤ 7
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	ISO 10545-3/IS 13630-2	≤0.080 %
Bulk Density	As per Manufacturer	Min 2.20 g/cc	ISO 10545-3/IS 13630-2	> 2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4/IS 13630-6	Min. 37.0 N/mm ²
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/IS 13630-6	Min 1500.0 N
Surface Mechanical Properties				
MOHS Hardness #	As per Manufacturer	Min. 5	BS EN 15771/IS 13630-13	Satin,Posh & Matt, CRV Min 6
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/IS 13630-11	Satin,Posh & Matt, CRV Min III
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	ISO 10545-10/IS 13630-3	Max 0.02 mm/m
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 ⁻⁶	ISO 10545-8/IS 13630-4	Max. 6.0 x 10 ⁻⁶
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5	Min 10 Cycle
Impact Resistance(COR) #	Min. 0.55	Min 0.55	ISO 10545-5/IS 13630-14	Min 0.55
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/IS 13630-10	Frost Proof
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9	4 Cycle
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	ISO 10545-14/IS 13630-8	Min. Class 4/ Min. Class 1
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	ISO 10545-13/IS 13630-8	Min Class GB/Min Class AA
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-8	Min Class GLB***/ Min Class A***
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-7	Min Class GHB***/ Min Class A***
Safety Properties				
Skid Resistance -(DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	BS 7976-2	Satin, Posh ≥P1 Matt/CRV ≥P2
Slip Resistance -Satin/Posh/ Matt/CRV (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	DIN 51130	R9 to R13
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb &Cd

* Whichever is Lower

** With nano technology Depending on Application area (low or high intensity of traffic)

*** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor

For Floor tiles,as per customer requirement

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT
 WOOD SURFACE CARVING	600x1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	28kg(Approx)

